

Doctor's Associates Inc.  
Franchisor - Subway Restaurant  
325 Sub Way  
Milford, CT  
USA 06461-3072

**Report Date: 2017/02/28**  
Report #: R4373413  
Version: 1 - Partial

**CERTIFICATE OF ANALYSIS – PARTIAL RESULTS**

**MAXXAM JOB #: B736641**

**Received: 2017/02/23, 09:45**

Sample Matrix: FOOD  
# Samples Received: 1

Analyses	Quantity	Date	Date	Laboratory Method	Reference
		Extracted	Analyzed		
Soy	1	2017/02/24	2017/02/24	CAM SOP-00734	Neogen Veratox kit
Poultry Speciation in Food by ELISA (1)	1	2017/02/27	2017/02/27	CAM SOP-00745	USDA MLG-17.02

**Remarks:**

**Scope Statement:**

The analysis detailed in this document is intended to assist you, the Client, in your efforts and responsibility to produce safe food. The analysis may be for contaminants or adulterants that are known to be or may potentially be harmful, or that may impact on the quality or desired characteristics of the product. The results are representative of the samples at the time and condition of submission, and as determined by the indicated method(s). Any inference as to their applicability to any particular product, production lot, intermediate, ingredient or facility should be made by an individual with relevant expertise, based on an understanding of the product and the suitability of the sampling protocol.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

\* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) Samples subjected to high temperature or pressure may result in denaturing of the detectable proteins and therefore a low bias.

Encryption Key



Maryam Sevrur  
Customer Service Representative, Food  
28 Feb 2017 13:58:48

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Representative, Food



=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

**MAXXAM ANALYTICS**

Maxxam Job #: B736641  
Report Date: 2017/02/28

Doctor's Associates Inc.

**RESULTS OF ANALYSES OF FOOD**

<b>Maxxam ID</b>		DYK179	
<b>Sampling Date</b>			
	<b>UNITS</b>	<b>C005531C 04330 SUBWAY CHICKEN BREAST CUTLETTES</b>	<b>RDL</b>
<b>General Food Parameters</b>			
Poultry	P-A	POS	N/A
Soy (Soy Flour)	ppm	5.3	2.5
RDL = Reportable Detection Limit POS = Positive N/A = Not Applicable			

**MAXXAM ANALYTICS**

Maxxam Job #: B736641  
Report Date: 2017/02/28

Doctor's Associates Inc.

**GENERAL COMMENTS**

Results relate only to the items tested.

**MAXXAM ANALYTICS**

Maxxam Job #: B736641  
Report Date: 2017/02/28

Doctor's Associates Inc.

**VALIDATION SIGNATURE PAGE**

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).



Helen Weidinger, Scientific Specialist

---

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.